

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L3	1	("20060282132").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/06/19 07:58
L8	7	(US-20040049248-\$ or US-20020172523-\$).did. or (US-6350772-\$ or US-6063777-\$ or US-5633275-\$ or US-5308861-\$ or US-5004811-\$).did.	US-PGPUB; USPAT	OR	ON	2008/06/19 09:02
L9	9	(US-20030109860-\$ or US-20030022105-\$ or US-20060282132-\$).did. or (US-6379376-\$ or US-4592361-\$ or US-6607477-\$ or US-6532387-\$ or US-5514669-\$ or US-6210425-\$).did.	US-PGPUB; USPAT	OR	ON	2008/06/19 09:02
L10	9	9 not 8	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	ON	2008/06/19 09:03
S15	7	("20020172523" "20040049248" "5004811" "5308861" "5633275" "6063777" "6350772").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	ON	2008/06/18 06:45
S16	7137	((128/898) or (606/9) or (607/88-94)).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/06/18 07:16
S17	94	S16 and (pulsed with (light beam laser)) and (control with intensity) and @AD<"20030620"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	ON	2008/06/18 07:17
S18	17	S17 and (PDT photodynamic)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	ON	2008/06/18 07:18

S19	114	(PDT photodynamic) and catheter and prostate and (photosensitizer PS) and intensity and @AD<"20030620"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	ON	2008/06/18 08:14
S20	0	S19 and ((PS photosensitizer) with activate with intensity)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	ON	2008/06/18 08:15
S21	54	((PS photosensitizer) with activate with intensity)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	ON	2008/06/18 08:15
S22	31	S21 and @AD<"20030620"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	ON	2008/06/18 08:16
S23	19	S19 and (balloon with catheter)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	ON	2008/06/18 08:23
S24	11	S19 and (urethr\$ with catheter)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	ON	2008/06/18 08:27
S25	0	S23 and (pulsed with (light beam laser)) and (control with intensity) and @AD<"20030620"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	ON	2008/06/18 08:28
S26	1	S24 and (pulsed with (light beam laser)) and (control with intensity) and @AD<"20030620"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	ON	2008/06/18 08:28
S27	19	S21 and depth	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	ON	2008/06/18 08:48
S28	0	S21 and (activat\$3 with range with intensity)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	ON	2008/06/18 08:57

S29	17	S21 and (activat\$3 with (threshold level range) with intensity)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	ON	2008/06/18 08:58
S30	1	S18 and kw/cm\$7	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	ON	2008/06/18 09:23
S31	1	S17 and kw/cm\$7	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	ON	2008/06/18 09:24
S32	21	S17 and mw/cm\$7	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	ON	2008/06/18 09:24

6/19/2008 9:10:00 AM

C:\Documents and Settings\hjohnson3\My Documents\EAST\workspaces\10560821.wsp